

Piercing Aftercare Instructions

Saline Solution

- Combine ¼ teaspoon of fine, non-iodized sea salt and 1 cup of warm distilled or bottled water.
 - Be sure and use the proper ratio of salt to water, too much salt can dry out your piercing and cause irritation.
- Soak piercing in saline solution 5-10 min. twice daily, before showering. Be sure to rinse and dry piercing.
- DO NOT USE ALCOHOL, PEROXIDE, BACTINE, A+D, LISTERINE, OR OTHER PRODUCTS CONTAINING BENZALKONIUM OR BENZETHONIUM CHLORIDE.
- DO NOT ROTATE PIERCING. IT WILL MOVE FREELY ON ITS OWN, ONCE IT IS HEALED.

Oral Piercings

- Use saline solution for outside of piercing on lips, cheeks, etc.
- Rinse mouth with antibacterial or antimicrobial soap or saline solution after meals and before bed, up to 5 times per day.
- ALCOHOL AND SMOKING ARE NOT RECOMMENDED.
- Please be aware that oral piercing can increase your risk of contracting/transmitting STDs. We recommend using protection.

What To Expect...

- Bleeding, swelling, tenderness, pain, bruising, numbness, loss of taste, etc. are common during the healing process. However, if you experience unusual symptoms or complications contact us or a medical professional immediately!

WE APPRECIATE YOUR BUSINESS

LEAVE US A 5 STAR REVIEW ON GOOGLE & FACEBOOK

Office 865.951.0675 | Lonnie 217.690.6040